

Original Observations in Refereed Journals:

1. **Shankaran S**, Subramaniam S: The use of chloramphenicol time-release capsule in the management of enteric fever. *Antiseptic*, 68:507-512, 1971.
2. **Shankaran S**, Poland RL: The displacement of bilirubin from albumin by furosemide. *J Pediatr*, 90:642-646, 1977.
3. Slovis TL, **Shankaran S**: Patent ductus arteriosus in hyaline membrane disease. *Chest radiography. AJR* 135:307-309, 1980.
4. Eisert D, Spector S, **Shankaran S**, Faigenbaum D, Szego E: Mothers' reports of their low birthweight infants' subsequent development on the Minnesota Child Development Inventory. *J Pediatric Psych* 5:353-364, 1980.
5. **Shankaran S**, Slovis TL, Bedard MP, Poland RL: Sonographic classification of intracranial hemorrhage: A prognostic indicator of mortality, morbidity and short-term neurologic outcome. *J Pediatr*, 100:469-475, 1982.
6. **Shankaran S**, Farooki Z, Desai R: β -Hemolytic streptococcal infection appearing as persistent fetal circulation. *Am J Dis Child*, 136:725-727, 1982.
7. **Shankaran S**, Pantoja A, Poland RL: Indomethacin and bilirubin-binding. *Dev Pharmacol Ther*, 4:117-220, 1982.
8. Slovis TL, **Shankaran S**, Bedard MP, Poland RL: Unusual intracranial complications of hemorrhage in the hypoxic-ischemic patient. *Radiology*, 151:163-170, 1984.
9. **Shankaran S** and Kauffman RE: Use of chloramphenicol palmitate in neonates. *J Pediatrics*, 105:113-116, 1984.
10. **Shankaran S**, Szego E, Eisert D, Siegel P: Severe bronchopulmonary dysplasia. Predictors of survival and outcome. *Chest* 86:607-610, 1984.
11. Bedard MP, **Shankaran S**, Slovis TL, Pantoja A, Dayal B, Poland RL: The effect of prophylactic phenobarbital on intraventricular hemorrhage in high risk infants. *Pediatrics*, 73:435-439, 1984.
12. Poland RL, Slovis TL, **Shankaran S**: Normal values for ventricular size as determined by real time sonographic techniques. *Pediatr Radiol* 15:12-14, 1985.
13. Cepeda EC, **Shankaran S**: Effect of multiple exchange transfusions on bilirubin-binding. *Acta Paed Scand* 74:545-548, 1985.
14. **Shankaran S**, Cepeda EC, Ilagan N, Mariona F, Hassan M, Bhatia R, Ostrea E, Bedard MP, Poland RL: Antenatal phenobarbital in the prevention of neonatal intracerebral hemorrhage. *Am J Ob Gyn* 154:53-57, 1986.
15. **Shankaran S**, Cepeda EC, Ilagan N, Kauffman RE: Pharmacokinetic basis for antenatal dosing of phenobarbital for the prevention of neonatal intracerebral hemorrhage. *Dev Pharmacol Therap* 9:171-177, 1986.

16. Walker P, Perry B, **Shankaran S**: The safety of amrinone for treating congestive cardiac failure in a premature neonate. *Clin Pharm* 6:327-331, 1987.
17. DelBianco L, **Shankaran S**: The design, organization and evaluation of a support group for parents of critically ill neonates. *Canad Crit Care Nurs J* 4:13-15, 1987.
18. **Shankaran S**, Cohen SN, Linver M, Zonia S: Medical care costs of high risk infants after neonatal intensive care: A controlled study. *Pediatrics* 81:372-378, 1988.
19. Walker P, **Shankaran S**: The bilirubin-displacing capacity of bumetanide in critically ill neonates. *Dev Pharmacol Ther* 11:265-272, 1988.
20. **Shankaran S**, Koepke T, Woldt E, Bedard MP, Dajani R, Eisenbrey AB, Canady A: Outcome following post hemorrhagic ventriculomegaly as compared to mild hemorrhage without ventriculomegaly. *J Pediatrics* 114:109-114, 1989.
21. Kazzi N, Chang CH, Roberts EC, **Shankaran S**: A case of fetal hepatoblastoma presenting as nonimmune hydrops. *American Journal of Perinatology* 6:278-280, 1989.
22. **Shankaran S**, Elias E, Ilagan N: Subcapsular hematoma of the liver in the very low birth weight neonate. *Acta Paediatr Scand* 80:616-619, 1991.
23. **Shankaran S**, Woldt E, Koepke T, Bedard MP, Nandyal R: Acute neonatal morbidity and long term sequelae of multisystem effects of perinatal asphyxia in term neonates. *Early Human Development* 25:135-148, 1991.
24. Ilagan, NB, Wehing B, Liang KC, Womack S, **Shankaran S**: Congenital syphilitic skeletal manifestations in a premature infant. *Clin Pediatr* 1993; 32:312-313.
25. Horbar JD, Wright LL, Stoll RF, Wright EC, Fanaroff AA, Korones SB, **Shankaran S**, Oh W, Fletcher BD, Bauer CR, Tyson JE, Lemone JA, Donovan EF, Stoll BJ, Stevenson DD, Papile LA, Philips III J: for the National Institute of Child Health and Human Development Neonatal Research Network. A multicenter randomized trial comparing two surfactants for the treatment of neonatal respiratory distress syndrome. *J Pediatr* , 123: 757-766, 1993.
26. **Shankaran S**, Woldt E, Bedard MP, Delaney-Black V, Zabalik K, Canady A. Feasibility of invasive monitoring of intracranial pressure in term neonates. *Brain and Development*, 16:121-125, 1994.
27. Fanaroff AA, Korones SB, Wright LL, Wright EC, Poland RL, Bauer CB, Tyson JE, Philips III JB, Edwards W, Lucey JF, Catz CB, **Shankaran S**, Oh W. A controlled trial of intravenous gamma globulin infusions to reduce nosocomial infections in low birth weight infants. *N Engl J Med* , 16:1107-1113, 1994.
28. Kumar P, Bedard MP, **Shankaran S**, Delaney-Black V. Post extracorporeal membrane oxygenation single photon emission computed tomography (SPECT) as a predictor of neurodevelopmental outcome. *Pediatrics*, 93:951-955, 1994.
29. Jacobson JJ, Jacobson SW, Sokol RJ, Martier SS, Ager JW, **Shankaran S**. Effects of alcohol use, smoking and illicit drug use on fetal growth in black infants. *J Pediatr*, 124:757-764, 1994.

30. Vreman HJ, Stevenson DK, Oh W, Fanaroff AA, Wright LL, Lemons JA, Verter J, **Shankaran S**, Tyson JE, Korones SB, Bauer CR, Stoll BJ, Papile LA, Donovan EF, Ehrenkranz RA. Determination of breath carbon monoxide (CO) with a semi-portable electrochemical analyzer for the diagnosis of hemolytic disease. *Clin Chem* 40:1927-1933, 1994.
31. Stevenson DK, Vreman HJ, Oh W, Fanaroff AA, Wright LL, Lemons JA, Verter J, **Shankaran S**, Tyson JE, Korones SB, Bauer CR, Stoll BJ, Papile LA. Bilirubin production in well term infants as measured by breath carbon monoxide. *Clin Chem* 40:1934-1939, 1994.
32. Hack M, Wright LL, **Shankaran S**, Tyson JE, Horbar J, Bauer C, Younes N, Malloy M. Very low birthweight outcomes of the NICHD Neonatal Network November 1989-October 1990. *Am J OBGYN*, 172:457-464, 1995.
33. Kumar P, Kazzi NJ, **Shankaran S**. Plasma immunoreactive endothelin-1 concentration in cord blood of normal term neonates. *Am J Perinatol*, 12:113-115, 1995.
34. **Shankaran S**, Liang KC, Ilagan N, Fleischmann L. Mineral excretion following furosemide compared to bumetanide therapy in premature infants. *Pediatric Nephrology*, 9:159-162, 1995.
35. Kang JH, **Shankaran S**. Double phototherapy with high irradiance compared with single phototherapy in neonates with hyperbilirubinemia. *Am J Perinatol*, 12:178-180, 1995.
36. **Shankaran S**, Bauer CR, Bain R, Wright LL, Zachary J for the NICHD Neonatal Research Network. The relationship between antenatal steroid administration and grade III-IV intracranial hemorrhage in low birth weight infants. *Am J OBGYN*, 173:305-12, 1995.
37. Wright LL, Verter J, Younes N, Stevenson D, Fanaroff AA, **Shankaran S**, Ehrenkranz RA, Donovan EF for the NICHD Neonatal Research Network. Antenatal corticosteroid administration and neonatal outcome in very low birth weight infants: The NICHD Neonatal Research Network. *Am J OBGYN*, 173:269-274, 1995.
38. Fanaroff AA, Wright LL, Stevenson DK, **Shankaran S**, Donovan EF, Ehrenkranz RA, Younes N, Korones SB, Stoll BJ, Tyson JE, Bauer CR, Oh W, Lemons JA, Papile LA. Very low birth weight outcomes of the NICHD Neonatal Research Network May 1991-December 1992. *Am J OBGYN* 173:1423-31, 1995.
39. Konduri GG, Garcia DC, Kazzi NJ, **Shankaran S**. Adenosine infusion improves oxygenation in infants with persistent pulmonary hypertension of newborn. *Pediatrics* 97:295-300, 1996.
40. **Shankaran S**, Cepeda E, Muran G, Mariona F, Johnson S, Kazzi SN, Poland RL, Bedard MP. Antenatal phenobarbital therapy and neonatal outcome I: Effect on intracranial hemorrhage. *Pediatrics* 97:644-648, 1996.
41. **Shankaran S**, Woldt E, Nelson J, Bedard M, Delaney-Black V. Antenatal phenobarbital therapy and neonatal outcome II: Neurodevelopmental Outcome at 36 Months. *Pediatrics* 97:649-652, 1996.
42. **Shankaran S**, Bauer C, Bain R, Wright LL, Zachary J. Prenatal and perinatal risk factors for grade III-IV intracranial hemorrhage in singleton 4795 <1500g infants. *Arch Ped Adol Med* 150:491-497, 1996.

43. Silvestre MAA, Morbach CA, Brans YW, **Shankaran S**. A prospective randomized trial comparing continuous versus intermittent feeding methods in very low birth weight (VLBW) neonates. *J Pediatr* 128:748-52, 1996.
44. Krishnan R, **Shankaran S**, Krishnan M, Kauffman R, Kumar P, Lucena J. Pharmacokinetics of erythropoietin following single dose subcutaneous administration in preterm infants. *Biol Neonate* 70:135-140, 1996.
45. Kumar P, Kazzi NJ, **Shankaran S**. Plasma immuno reactive endothelin-1 concentration in infants with persistent pulmonary hypertension of the newborn. *J Perinatol* 13:335-341, 1996.
46. Vreman HJ, Verter J, Oh W, Fanaroff AA, Wright LL, Lemons JA, **Shankaran S**, Tyson JE, Korones SB, Bauer CR, Stoll BJ, Papile LA, Donovan EF, Ehrenkranz RA, Stevenson DK for the NICHD Neonatal Research Network. Variability of interlaboratory bilirubin measurements. *Clin Chem* 42(6) 869-873, 1996.
47. Stoll BJ, Gordon T, Korones S, **Shankaran S**, Tyson J, Bauer C, Fanaroff A, Lemons J, Donovan E, Oh W, Stevenson D, Ehrenkranz R, Papile LA, Verter J, Wright L. Early-onset sepsis in very low birthweight neonates: A report from the NICHD Neonatal Research Network. *J Pediatr* 129:72-80, 1996.
48. Stoll BJ, Gordon T, Korones S, **Shankaran S**, Tyson J, Bauer C, Fanaroff A, Lemons J, Donovan E, Oh W, Stevenson D, Ehrenkranz R, Papile LA, Verter J, Wright L. Late-onset sepsis in very low birthweight neonates: A report from the NICHD Neonatal Research Network. *J Pediatr* 129:63-71, 1996.
49. Neonatal Inhaled Nitric Oxide Study Group, Konduri G, Bara B, **Shankaran S**, Wayne State University site. Inhaled nitric oxide in the term and near-term infant with hypoxic respiratory failure. *N Engl J Med*, 336:597-604, 1997.
50. **Shankaran S**, Papile L, Wright LL, Ehrenkranz RA, Mele L, Lemons JA, Korones SB, Stevenson DK, Donovan EF, Stoll BJ, Fanaroff AA, Oh W. The effect of antenatal phenobarbital therapy on neonatal intracranial hemorrhage in preterm infants. *N Engl J Med*, 337:466-471, 1997.
51. Papile LA, Tyson JE, Stoll BJ, Wright LL, Donovan EF, Bauer CR, Krause-Steinrauf H, Verter J, Korones SB, Lemons JA, Fanaroff AA, Stevenson DK, Oh W, Ehrenkranz RA, **Shankaran S**. Multicenter trial of two dexamethasone therapy regimens in ventilator-dependent premature infants. *N Engl J Med*, 338:1112-8, 1998.
52. Bada HS, Bauer CR, **Shankaran S**, Lester BM, Wright LL, Verter J, Smeriglio VL, Finnegan L, Maza PL. Central and autonomic nervous systems' signs associated with in utero exposure to cocaine/opiates. Cocaine: Effects on the Developing Brain. *New York Academy of Sciences* 1998; 846:431-434.
53. Maza PL, Wright LL, Bauer CR, **Shankaran S**, Bada HS, Lester BM, Krause-Steinrauf, H, Smeriglio FL, Bowler A, Katiskiotis V. Maternal Lifestyles Study (MLS): Caretaking Environment and Stability of Substance-Exposed Infants at One Month Corrected Age. Cocaine: Effects on the Developing Brain. *New York Academy of Sciences* 1998;846:358-361.
54. Aouthmany MM, **Shankaran S**. Determination of end-tidal carbon monoxide and bilirubin production in preterm infants. *JIMA*, 30:105-109, 1998

55. Fanaroff AA, Korones SB, Wright LL, Verter J, Poland RL, Bauer CR, Tyson JE, Philips JB III, Edwards W, Lucey JF, Catz CS, **Shankaran S**, Oh W. The incidence, presenting features, risk factors, and significance of septicemia in low birthweight infants. *Pediatr Infect Dis J*, 1998; 17:593-8.
56. Stevenson DK, Wright LL, Lemons JA, Oh W, Koronos SB, Papile LA, Bauer CR, Stoll BJ, Tyson JE, **Shankaran S**, Fanaroff A, Donovan E, Ehrenkranz R, Verter J. Very-Low-Birth-Weight (VLBW) outcomes of the NICHD Neonatal Research Network, January 1993 through December 1994. *Am J OBGYN* 1998; 179:1632-9.
57. Donovan EF, Ehrenkranz RA, **Shankaran S**, Stevenson DK, Wright LL, Verter JI, Fanaroff AA. Outcomes of very-low-birth-weight twins cared for in neonatal intensive care units. *Am J OBGYN* 1998; 179:742-749.
58. Kumar P, **Shankaran S**, Kirshnan RG. Recombinant human erythropoietin therapy for treatment of anemia of prematurity in very low birth weight infants: A randomized, double blind, placebo controlled trial. *J Perinat* 1998; 18:173-7.
59. Tyson JE, Wright LL, Oh W, Kennedy KA, Mele L, Ehrenkranz RA, Stoll BJ, Lemons JA, Stevenson DK, Bauer CR, Korones SB, Fanaroff AA, Donovan EF, Carlo WA, **Shankaran S**, Stark AR, Papile L, Jobe A, Stacewicz-Sapuntzakis M, Verter J for the NICHD Neonatal Research Network. A multi-center randomized trial of vitamin A supplementation for extremely low birth weight infants. *N Engl J Med* 1999; 340:1962-8.
60. Ehrenkranz RA, Younes N, Lemons JA, Fanaroff AA, Donovan EF, Wright LL, Katsikiotis V, Tyson JE, Oh W, **Shankaran S**, Bauer CR, Korones SB, Stoll BJ, Stevenson DK, Papile L. Longitudinal growth of hospitalized very low birthweight infants. *Pediatrics* 1999; 104:280-289.
61. Donovan EF, Tyson JE, Ehrenkranz RA, Verter J, Wright LL, Korones SB, Bauer C, **Shankaran S**, Stoll BJ, Fanaroff AA, Oh W, Lemons JA, Stevenson DK, Papile LA. Inaccuracy of the New Ballard score before 28 weeks gestation. *J Pediatr* 1999; 135:147-52.
62. ElSohly MA, Stanford DF, Murphy TP, Lester BM, Wright LL, Smeriglio VL, Verter J, Bauer CR, **Shankaran S**, Bada HS, Walls HC. Immunoassay and GC-MS procedures for the analysis of drugs of abuse in meconium. *J Analytical Toxicology* 1999; 23:436-445.
63. Stoll BJ, Temprosa M, Tyson JE, Papile LA, Wright LL, Bauer CR, Donovan E, Korones SB, Lemons JA, Fanaroff AA, Stevenson DK, Oh W, Ehrenkranz R, **Shankaran S**, Verter J. Dexamethasone therapy increases infection in very low birth weight infants. *Pediatrics* 1999; 104(5):e63.
64. Kumar P, Gupta R, **Shankaran S**, Bedard MP, Delaney-Black, V. EEG abnormalities in survivors of neonatal ECMO: Its role as a predictor of neurodevelopmental outcome. *Am J Perinat* 1999,16:245-250.
65. Kumar P, **Shankaran S**, Bedard MP, Delaney-Black V. Identifying infants at risk of death and abnormal neurodevelopmental outcome following neonatal extracorporeal membrane oxygenation. *J Perinat* 1999: 19:367-372.
66. Walsh-Sukys MC, Tyson JE, Wright LL, Bauer CR, Korones SB, Stevenson DK, Verter J, Stoll BJ, Lemons JA, Papile L, **Shankaran S**, Donovan EF, Oh W, Ehrenkranz RA, Fanaroff AA. Persistent pulmonary hypertension of the newborn in the era before nitric oxide: Practice variation and outcomes. *Pediatrics* 2000; 105:14-20.

67. Stevenson DK, Verter J, Fanaroff AA, Oh W, Ehrenkranz RA, **Shankaran S**, Donovan EF, Wright LL, Lemons JA, Tyson JE, Korones SB, Bauer CR, Stoll BJ, Papile LA. Sex differences in very-low birthweight outcomes: The newborn male disadvantage. *Arch Child Dis* 2000; 83:F182.-F185.
68. Gervasio CT, Mantaring BS, Alankar S, **Shankaran S**. Early-onset neonatal group B streptococcal sepsis: Intrapartum Antibiotic prophylaxis in the clinical setting. *J Perinat* 2001; 21:9-14.
69. Stark AR, Carlo WA, Tyson JE, Papile LA, Wright LL, **Shankaran S**, Donovan EF, Oh W, Bauer CR, Saha S, Poole K, Stoll BJ. Adverse effects of early dexamethasone treatment in extremely-low-birth-weight infants. *N Engl J Med* 2001; 344:95-101.
70. Lemons JA, Bauer CR, Oh W, Korones SB, Papile LA, Stoll BJ, Verter J, Temprosa M, Wright LL, Ehrenkranz RA, Fanaroff AA, Stark AR, Carlo WA, Tyson JE, Donovan EF, **Shankaran S**, Stevenson DK. Very-low-birth-weight (VLBW) outcomes of the NICHD Neonatal Research Network, January 1995 through December 1996. *Pediatrics* 2001; 107:e1.
71. Lester BM, ElSohly M, Wright LL, Smeriglio VL, Verter J, Bauer CR, **Shankaran S**, Bada HS, Walls HC, Huestis MA, Finnegan LP, Maza PL. The Maternal Lifestyle Study: Drug use by meconium toxicology and maternal self-report. *Pediatrics* 2001; 107:309-317.
72. Ohls RK, Ehrenkranz RA, Wright LL, Lemons JA, Korones SB, Stoll BJ, Stark AR, **Shankaran S**, Donovan EF, Close NC, Das A. The effects of early erythropoietin therapy on the transfusion requirements of preterm infants below 1250 grams birthweight: a multi-center, randomized, controlled trial. *Pediatrics* 2001; 108:934-942.
73. Bauer CR, **Shankaran S**, Bada HS, Lester BM, Wright LL, Krause-Steinrauf H, Smeriglio VL, Finnegan LP, Maza PL, Verter J. The Maternal Lifestyle Study (MLS): Drug exposure during pregnancy and short-term maternal outcomes. *Am J Obstet Gynecol* 2002; 186:487-495.
74. **Shankaran S**, Fanaroff AA, Wright LL, Stevenson DK, Donovan EF, Ehrenkranz RA, Langer JC, Korones SB, Stoll BJ, Tyson JE, Bauer CR, Lemons JA, Oh W, Papile LA, Verter J. Risk factors for early death among extremely-low-birth-weight infants. *Am J Obstet and Gynecol* 2002; 186:796-802.
75. Carlo WA, Stark AR, Wright LL, Tyson JE, Papile L, **Shankaran S**, Donovan EF, Oh W, Bauer CR, Saha S, Poole WK, Stoll B. Minimal ventilation to prevent bronchopulmonary dysplasia in extremely-low-birth-weight infants. *J Pediatr* 2002; 141:370-375
76. **Shankaran S**, Papile LA, Wright LL, Ehrenkranz RA, Mele L, Lemons JA, Korones SB, Stevenson DK, Donovan EF, Stoll BJ, Fanaroff AA, Oh W, Verter J. Neurodevelopmental outcome of premature infants following antenatal phenobarbital exposure. *Am J Obstet Gynecol* 2002; 187:171-177
77. **Shankaran S**, Laptook A, Wright LL, Ehrenkranz RA, Donovan EF, Fanaroff AA, Stark AR, Tyson JE, Poole K, Carlo WA, Lemons JA, Oh W, Stoll BJ, Papile LA, Bauer CR, Stevenson DK, Korones SB, McDonald S. Whole body hypothermia for neonatal encephalopathy: Animal observations as a basis for a randomized controlled pilot study in term infants. *Pediatrics* 2002; 110:377-385
78. Bada HS, Bauer CR, **Shankaran S**, Lester B, Wright LL, Das A, Verter J, Smeriglio VL, Finnegan LP, Maza PL. Central and autonomic nervous systems (CNS/ANS) signs associated with in-utero cocaine/opiate exposure. *Arch Dis Child Neonatal Ed* 2002; 87:F106-F112

79. Stoll BJ, Hansen N, Fanaroff AA, Wright LL, Carlo WA, Ehrenkranz RA, Lemons JA, Donovan EF, Stark AR, Oh W, Bauer CR, Korones SB, Laptook AR, **Shankaran S**, Tyson JE, Stevenson DK, Papile L, Poole WK. Changes in pathogens causing early-onset sepsis in very-low-birth-weight infants. *N Engl J Med* 2002; 347:240-247.
80. Lester BM, Tronick EZ, LaGasse L, Seifer R, Bauer CR, **Shankaran S**, Bada HS, Wright LL, Smeriglio VL, Liu J, Finnegan LP, Maza PL. The Maternal Lifestyle Study (MLS): Effects of substance exposure during pregnancy on neurodevelopmental outcome in one-month old infants. *Pediatrics* 2002;110:1182-1192.
81. Bada HS, Das A, Bauer CR, **Shankaran S**, Lester B, Wright LL, Verter J, Smeriglio VL, Finnegan LP, Maza PL. Gestational cocaine exposure and intrauterine growth (Maternal Lifestyle Study) *Obstet Gynecol* 2002; 100:916-924.
82. Stoll BJ, Hansen N, Fanaroff AA, Wright LL, Carlo WA, Ehrenkranz RA, Lemons JA, Donovan EF, Stark AR, Tyson JE, Oh W, Bauer CR, Korones SB, **Shankaran S**, Laptook AR, Stevenson DK, Papile L, Poole WK. Late-onset sepsis in very low birth weight neonates: The experience of the NICHD Neonatal Research Network. *Pediatrics* 2002;110:285-291
83. Lester BM, LaGasse L, Seifer R, Tronick EZ, Bauer CR, **Shankaran S**, Bada HS, Wright LL, Smeriglio VL, Liu J, Finnegan LP, Maza, PL. The Maternal Lifestyle Study (MLS): Effects of prenatal cocaine and/or opiate exposure on auditory brain response at one month. *J Pediatr* 2003;142:279-85
84. LaGasse LL, Messinger D, Lester BM, Seifer R, Tronick EZ, Bauer CR, **Shankaran S**, Bada HS, Wright LL, Smeriglio VL, Finnegan LP, Maza PL, Liu J. Prenatal Drug Exposure and Infant Feeding Behavior. *Arch Dis Child Fetal Neonatal Ed* 2003;88:F391-9.
85. **Shankaran S**, Bauer CR, Bada HS, Lester B, Wright L, Das A. Health Care Utilization Among Mothers and Infants Following Cocaine Exposure, *Journal of Perinatology* 2003; 23:361-367
86. Oh W, Tyson JE, Fanaroff AA, Vohn BR, Perritt R, Stoll BJ, Ehrenkranz RA, Carlo WA, **Shankaran S**, Poole K, Wright, LL. Association between Peak Serum Bilirubin and Neuro-Developmental Outcomes in Extremely Low Birth Weight Infants. *Pediatrics* 2003;112:773-779
87. Poindexter BB, Ehrenkranz RA, Stoll BJ, Koch MA, Wright LL, Oh W, Papile LA, Bauer CR, Carlo WA, Donovan EF, Fanaroff AA, Korones SB, Laptook AR, **Shankaran S**, Stevenson DK, Tyson JE, Lemons JA. Effect of parenteral glutamine supplementation on plasma amino acid concentrations in extremely low-birth-weight infants. *Am J Clin Nutr.* 2003 Mar;77(3):737-43.
88. Poindexter BP, Ehrenkranz RA, Stoll BJ, Wright LL, Poole W K, Oh W, Bauer CR, Papile L, Tyson JE, Waldemar AC, Laptook AR, Korones SB, **Shankaran S**, Finer NN, Lemons JA. Parenteral glutamine supplementation does not reduce the risk of mortality or late-onset sepsis in extremely low birth weight infants. *Pediatrics* 2004; 113:209-1215.
89. Stoll BJ, Hansen N, Fanaroff AA, Wright LL, Carlo WA Ehrenkranz A, Lemons J, Donovan E, Stark A, Tyson J, Oh W, Bauer C, Korones S, **Shankaran S**, Laptook A, Stevenson DK, Papile L, Poole WK. To tap or not to tap: high likelihood of meningitis without sepsis among very low birth weight infants. *Pediatrics* 2004; 113:1181-1186.
90. Messenger DS, Bauer CR, Das A, Seifer R, Lester BM, LaGasse LL, Wright LL, **Shankaran S**, Bada HS, Smeriglio VL, Langer JC, Beeghly M, Poole, WK. The Maternal Lifestyle Study (MLS): Cognitive, Motor, and Behavioral Outcomes of Cocaine Exposed and Opiate Exposed Infants Through Three Years of Age. *Pediatrics* 2004; 113:1677-1685.

91. Shankaran, S, Das, A, Bauer, C, Bada, H, Lester, B, Wright, L, Smeriglio,V, Association Between Patterns Of Maternal Substance Use And Infant Birth Weight, Length And Head Circumference. *Pediatrics* 2004; 114:226-e234.
92. Lester BM, Tronick EZ, LaGasse L, Seifer R, Bauer CR, **Shankaran S**, Bada HS, Wright LL, Smeriglio VL, Lu J. Summary Statistics of NICU Network Neurobehavioral Scale (NNNS) Scores from the Maternal Lifestyle Study (MLS): A Quasi Normative Sample. *Pediatrics* 2004; 113:668-675.
93. Seifer R, LaGasse LL, Lester B, Bauer CR, **Shankaran S**, Bada HS, Wright LL, Smeriglio VL, Liu J. Attachment Status in Children Prenatally Exposed to Cocaine and Other Substances. *Child Development* 2004; 75; 850-868.
94. Sood BG, Delaney-Black V, Aranda JV, **Shankaran S**. Aerosolized PGE₁: A selective pulmonary vasodilator in neonatal hypoxemic respiratory failure results of a phase I/II open label clinical trial. *Pediatric Research* 2004;5; 579-585.
95. **Shankaran S**, Johnson Y, Langer JC, Vohn B, Fanaroff AA, Wright L, Poole K. Outcome of Extremely Low Birth Weight Infants at Highest Risk: Gestational Age \leq 24 Weeks, Birth Weight \leq 750g and 1 Minute Apgar \leq 3. *Am J Obstet Gynecol* 2004:191;1084-91.
96. Laptook AR, O'Shea TM, **Shankaran S**, Bhaskar B. Adverse Neurodevelopmental outcomes among extremely low birth weight infants with a normal head ultrasound: prevalence and antecedents. *Pediatrics* 2005; 115:673-80.
97. Miller-Loncar C, Lester BM, Seifer R, Lagasse LL, Bauer CR, **Shankaran S**, Bada HS, Wright LL, Smeriglio VL, Liu J. Predictors of motor development in children prenatally exposed to cocaine. *Neurotoxicol Teratol* 2005; 27(2):213-20.
98. Bauer CR, Langer JC, **Shankaran S**, Bada HS, Lester B, Wright LL, Krause-Steinrauf H, Smeriglio VL, Finnegan LP, Maza PL, Verter J. Acute Neonatal Effects of Cocaine Exposure during Pregnancy. *Archives of Children and Adolescent Medicine* 2005;159:824-834.
99. Tronick EZ, Messinger DS, Weinberg MK, Lester BM, LaGasse L, Seifer R, Bauer C, **Shankaran S**, Bada H, Wright LL, Smeriglio VL, Poole K, Liu J. Cocaine Exposure is Associated with Subtle Compromises of Infants' and Mothers' Social Emotional Behavior and Dyadic Features of their Interaction in the Face-to-Face Still-Face Paradigm. *Developmental Psychology* 2005; 41:711-22.
100. Van Meurs, KP, Wright, LL, Ehrenkranz, RA, Lemons, JA, Ball, MB, Poole, WK, Perritt, R, Higgins, RD, Oh, W, Hudak, ML, Laptook, AR, **Shankaran S**, Finer, NN, Carlo, WA, Kennedy, KA, Fridriksson, JH, Steinhorn, RH, Sokol, GM, Konduri, GG, Aschner, JL, Stoll, BJ, D'Angio, CT, Stevenson, DK. Inhaled Nitric Oxide for Premature Infants with Severe Respiratory Failure. *N Engl J Med* 2005;353:13-22.
101. **Shankaran S**, Laptook AR, Ehrenkranz RA, Tyson JE, McDonald SA, Donovan EF, Fanaroff AA, Poole WK, Wright LL, Higgins RD, Finer NN, Carlo WA, Duara SD, Oh W, Cotten CM, Stevenson DK, Stoll BJ, Lemons JA, Guillet R, Jobe AH. The effect of whole body hypothermia on the risk of death or disability in neonates with hypoxic-ischemic encephalopathy. *N Engl J Med* 2005;353:1574-84.
102. Bada HS, Das A, Bauer CR, **Shankaran S**, Lester BM, Gard CC, Wright LL, LaGasse L, Higgins R. Low birth weight and preterm births: etiologic fraction attributable to prenatal drug exposure. *Journal of Perinatology* 2005;25:631-637.

103. Sanjeev S, Pettersen M, Lua J, Thomas R, **Shankaran S**, L'Ecuyer T. Role of plasma b-type natriuretic peptide in screening for hemodynamically significant patent ductus arteriosus in preterm neonates. *Journal of Perinatology* 2005;25:709-713.
104. Pappas A, **Shankaran S**, Stockmann PT, Bara R. Changes in amplitude-integrated electroencephalography in neonates with extracorporeal membrane oxygenation: A pilot study. *J Pediatr* 2006; 148:125-7.
105. Higgins RD, Raju T, Perlman J, Azzopardi DV, Blackmon LR, Clark RH, Edwards AD, Ferriero DM, Gluckman PD, Gunn AJ, Jacobs SE, Eicher DJ, Jobe AH, Laptook AR, LeBlanc MH, Palmer C, **Shankaran S**, Soll RF, Stark AR, Thoresen M, Wyatt J, The NICHD Hypothermia Workshop Speakers and Discussants. Hypothermia and perinatal asphyxia: Executive summary of the NICHD workshop. *J Pediatr* 2006;148:170-5.
106. Sheinkopf SJ, Lester BM, LaGasse LL, Seifer R, Bauer CR, **Shankaran S**, Bada HS, Poole WK, Wright LL. Interactions between maternal characteristics and neonatal behavior in the prediction of parenting stress and perception of infant temperament. *Journal of Pediatric Psychology* 2006; 31:27-40.
107. Chen X, Stanton B, **Shankaran S**, Li X: Early onset prevents pregnant woman from quitting smoking; *Am J Health Behavior* 2006;30 (3) 347-358.
108. Sood G, Glibetic M, Aranda JV, Delaney-Black V, Chen X, **Shankaran S**. Systemic levels following PGE1 inhalation in neonatal hypoxemic respiratory failure. *Acta Paediatrica*. 2006; 95 (9):1093-1098
109. **Shankaran S**, Langer JC, Kazzi SN, Laptook A, Walsh M. Cumulative index of exposure to hypocarbia and hyperoxia as risk factors for periventricular leukomalacia in low birth weight (LBW) infants. *Pediatrics* 2006;118: 1654-59.
110. **Shankaran S**, Das A, Bauer CR, Bada H, Lester B, Wright L, Higgins R, Poole K. Fetal origin of childhood disease: Intrauterine growth restriction in term infants and risk for hypertension at 6 years. *Arch Pediatr Adolesc Med* 2006;160 :977-81.
111. Ambalavanan N, Carlo WA, **Shankaran S**, Bann CM, Emrich SL, Higgins RD, Tyson JE , O'Shea TM, Laptook AR, Ehrenkranz RA, Donovan EF, Walsh MC, Goldberg RN, Das A, for the National Institute of Child Health and Human Development Neonatal Research Network. Predicting outcomes of neonates diagnosed with hypoxemic-ischemic encephalopathy. *Pediatrics* 2006;118:2084-93.
112. Sood BG, Delaney-Black V, Glibetic M, Aranda JV, Chen X, and **Shankaran S**. Systemic levels following PGE1 inhalation in neonatal hypoxemic respiratory failure. *Acta Paediatr*. 2006. 95:9:1093-1098
113. Salisbury AL, Lester BM, Seifer R, LaGasse L, Bauer C, **Shankaran S**, Bada H, Wright L, Liu J, Poole K. Prenatal cocaine use and maternal depression: Effects on infant neurobehavior. *Neurotoxicology and Teratology* 2007; 29(3)331-340.
114. Bada H, Das A, Bauer C, **Shankaran S**, Lester B, LaGasse L, Hammond J, Wright L, Higgins R. Impact of prenatal cocaine exposure on childhood behavior problems through school age. *Pediatrics* 2007;119:348-59.

115. Fanaroff A, Stoll BJ, Wright LL, Carlo WA, Ehrenkranz RA, Stark AR, Bauer CR, Donovan EF, Korones SB, Laptook AR, Lemons JA, Oh W, Papile L, **Shankaran S**, Stevenson DK, Tyson JE, Poole WK; for the NICHD Neonatal Research Network. Trends in neonatal morbidity and mortality for very low birthweight infants. *Am J Obstet Gynecol* 2007;196:147e1-e8.
116. Sood BG, Delaney-Black V, Gilbetic M, Aranda JV, Chen X, **Shankaran S**. PGE2/TXB2 Imbalance in neonatal respiratory failure. *Acta Paediatrica* 2007;96;5:669-673
117. Batista CEA, Chugani HT, Juhasz CJ, Behen ME, **Shankaran S**. Transient hypermetabolism of the basal ganglia following perinatal hypoxia. *Pediatr Neurol* 2007; 36:330-335
118. Sheinkopf SJ, LaGasse L, Lester BM, Liu J, Seifer R, Baer CR, **Shankaran S**, Bada H, Salisbury A, Das A., Vagal tone as a resilience factor in children with prenatal cocaine exposure. *Dev Psychopathol* 19:2007;649-673.
119. Mietzsch U, Parikh N, Williams A, **Shankaran S**, Lasky R. Effects of hypoxic-ischemic encephalopathy and whole body hypothermia on neonatal auditory function: A pilot study. *American Journal of Perinatology* 2008;25(7):435-441
120. **Shankaran S**, Pappas A, Laptook AR, McDonald SA, Ehrenkranz RA, Tyson JE, Walsh M, Epi MS, Goldberg RN, Rosemary HD, and Das A and NICHD Neonatal Research Network. Outcomes of safety and effectiveness in a multicenter randomized controlled trial of whole body hypothermia for neonatal hypoxic ischemic encephalopathy. *Pediatrics* 2008;122:e791-8. PMID18829776. PMCID2819143
121. Oh W, Perritt R, **Shankaran S**, Merritts M, Donovan EF, Ehrenkranz RA, O'Shea TM, Tyson JE, Laptook AR, Das A and Higgins R and NICHD Neonatal Research Network. Association between urinary lactate to creatinine ratio and neurodevelopmental outcome in full term infants with hypoxic ischemic encephalopathy. *J Pediatr* 2008;153:375-8
122. Levine TP, Liu J, Das A, Lester B, Lagasse L, **Shankaran S**, Bada HS, Bauer CR, and Higgins R. Effects of prenatal cocaine exposure on special education in school-aged children. *Pediatrics* 2008; e83-e91
123. Bagner DM, Skeinkopf SJ, Miller-Loncar C, LaGasse LL, Lester BM, Liu J, Bauer CR, **Shankaran S**, H Bada and Das A. The effect of parenting stress on child behavior problems in high-risk children with prenatal drug exposure. *Child Psychiatry and Human Development* 2009 Mar;40(1):73-84. Epub 2008 Jul 15
124. Bada HS, Langer J, Twomey J, Bursi C, LaGasse L, Bauer CR, **Shankaran S**, Lester BM, Higgins R, and Maza PL. Importance of stability of early living arrangements on behavior outcomes of children with and without prenatal drug exposure. *J Dev Behav Pediatr* 2008; 29:173-182.
125. Laptook A, Tyson J, **Shankaran S**, McDonald S, Ehrenkranz R, Fanaroff A, Donovan E, Goldberg R, O'Shea TM, Higgins RD, Poole WK; National Institute of Child Health and Human Development Neonatal Research Network. Elevated temperature after hypoxic-ischemic encephalopathy: risk factor for adverse outcomes. *Pediatrics*. 2008;122 (3):491-9.
126. Hoehn T, Hansmann G, Bühner C, Simbruner G, Gunn AJ, Yager J, Levene M, Hamrick SEG, **Shankaran S**, Thoresen M. Therapeutic hypothermia in neonates. Review of current clinical data, ILCOR recommendations and suggestions for implementation in neonatal intensive care units. *J Resuscitation* 2008; 78,7-12.

127. Morris BH, Oh W, Tyson JE, Stevenson DK, Phelps DL, O'Shea T, McDavid GE, Perritt RL, Van Meurs KP, Vohr BR, Grisby C, Yao Q, Pedroza C, Das A, Poole WK, Carlo WA, Duara S, Lptook A, Salhab WA, **Shankaran S**, Poindexter BB, Fanaroff AA, Walsh MC, Rasmussen MR, Stoll BJ, Cotton CM, Donovan EF, Ehrenkranz RA, Guillet R, Higgins R; the NICHD Neonatal Research Network. Aggressive vs. conservative phototherapy for infants with extremely low birth weight. *N Engl J Med*. 2008;359:18: 1885-1896
128. daCosta D, Bann CM, Hansen NI, **Shankaran S**, Delaney-Black V. Factor structure of the Functional Status II (R) questionnaire in a cohort of extremely low birth weight infants from the National Institute of Child Health and Human Development Neonatal Research Network. *Journal of Dev Med and Child Neurology Dev Med Child Neurol*. 2009;51:536-44.PMID: 19459909
129. Parikh NA, Lasky RE, Garza CN, Bonfante-Mejia E, **Shankaran S**, and Tyson JE. Volumetric and anatomic MRI for hypoxic-ischemic encephalopathy: Relationship to hypothermia therapy and neurosensory impairments. *J Perinatology* 2009; 29(2):143-9. Epub 2008 Nov 20.
130. Wilson–Costello D., Walsh MC, Langer JC, Guillet R, Lptook AR, Stoll BJ, **Shankaran S.**, Finer NN, Van Meurs KP, Engle W, Das A. for the National Institute of Child Health and Human Development (NICHD) Neonatal Research Network. Impact of Postnatal Corticosteroid (PNS) Use on Neurodevelopment at 18-22 Months adjusted age: Effects of Dose, Timing and Risk of Bronchopulmonary Dysplasia in Extremely Low Birthweight Infants (ELBW). *Pediatrics* 2009;123e430-e4376.
131. Lasky RE, Parikh NA, Williams AL, Padhye NS, **Shankaran S**. Changes in PQRST intervals and heart rate variability associated with re-warming in two newborns undergoing hypothermia therapy. *Neonatology* 2009;96:93-95.
132. Higgins RD, **Shankaran S**. Hypothermia for hypoxic ischemic encephalopathy in infants \geq 36 weeks. *Early Hum Dev*. 2009;85:S49-52. PMID19762176. PMCID2813680
133. Lptook A, **Shankaran S**, Ambalavanan N, Carlo W, McDonald SA, Higgins RD, Das A, the NICHD Neonatal Research Network. Outcome of term infants using Apgar scores at 10 minutes following hypoxic-ischemic encephalopathy. *Pediatrics* 2009;124:6:1619-26.
134. Lester B, Bagner D, Liu J, LaGasse L, Seifer R, Bauer C, **Shankaran S**, Bada H, Higgins R, Das A. Infants' neurobehavioral dysregulation related to behavior problems in children with prenatal substance exposure. *Pediatrics* 2009;124:5:1355-62. PMID19822596. PMCID2874881.
135. Thayyil S, **Shankaran S**, Robertson NJ. Therapeutic hypothermia for neonatal encephalopathy: Implications for neonatal units in India. *Indian Pediatrics* 2009;46:283-9
136. Liu J, Bann C, Lester B, Tronik E, Das A, LaGasse L, Bauer C, **Shankaran S**, Bada H. Neonatal neurobehavior predicts medical and behavioral outcome. *Pediatrics* 2010;125:e90–e98
137. Natarajan G, **Shankaran S**, McDonald SA, Das A, Stoll BJ, Higgins RD, Thorsen P, Skogstrand K, Hougaard DM, Carlo WA; for the NICHD Neonatal Research Network. Circulating beta chemokine and MMP 9 as markers of oxidative injury in extremely low birth weight infants. *Pediatr Res*. 2010; 67:77-82. PMID 19755933
138. D'Angio C, Heyne RJ, O'Shea TM, Schelonka RL, **Shankaran S**, Duara S, Goldberg RN, Stoll B, Van Meurs KP, Vohr BR, Das A, Li L, Burton RL, Hastings BK, Phelps DL, Sanchez PJ, Carlo WA, Stevenson DK, and Higgins RD. Heptavalent Pneumococcal conjugate vaccine immunogenicity in

- very low birth weight premature babies. *The Pediatr Infect Dis J.* 2010;29:7:600-606. PMID 20234331
139. Sood B, Madan A, Saha S, **Shankaran S**, Carlo WA. Perinatal systemic inflammatory response syndrome and retinopathy of prematurity: Is there a relationship? *Pediatric Research* 2010;67:4:394-400. PMID 20032809
 140. **Shankaran S**, Bann C, Bauer CR, Lester B, Bada H, Das A, Higgins RD, Poole WK, LaGasse L, Hammond J, Woldt E: Prenatal cocaine exposure and body mass index and blood pressure at 9 years of age: *J Hypertens.* 2010;28;6:1166-75. PMID: 20486281
 141. Stone K, LaGasse L, Lester B, **Shankaran S**, Bada H, and Bauer C. The Maternal Lifestyle Study: Sleep problems in children with prenatal drug exposure. *Arch Pediatr Adolesc Med.* 2010;164:5:452-6. PMID20439796. PMCID2917192.
 142. Stephens BE, Liu J, Lester B, Lagasse L, **Shankaran S**, Bada H, Bauer C, Das A, Higgins R, Neurobehavioral assessment predicts motor outcome in preterm infants. *J Pediatr* 2010;156:366-71
 143. Gaskins RB, Lagasse LL, Liu J, **Shankaran S**, Lester BM, Bada HS, Bauer CR, Das A, Higgins RD, Roberts M. Small for Gestational Age and Higher Birth Weight Predict Childhood Obesity in Preterm Infants. *Am J Perinatol.* 2010 PMID: 20408111
 144. Bada HS, Bann CM, Bauer CR, **Shankaran S**, Lester B, Lagasse L, Hammond J, Whitaker T, Das A, Tan S, Higgins R. Preadolescent behavior problems after prenatal cocaine exposure: Relationship between teacher and caretaker ratings (Maternal Lifestyle Study). *Neurotoxicol Teratol.* 2010, PMID: 20600844
 145. Bell EF, Hansen NI, Morriss FH Jr, Stoll BJ, Ambalavanan N, Gould JB, Lupton AR, Walsh MC, Carlo WA, **Shankaran S**, Das A, Higgins RD; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Impact of timing of birth and resident duty-hour restrictions on outcomes for small preterm infants. *Pediatrics.* 2010;126:222-31. PMID: 20643715
 146. Lester BM, Lagasse LL, **Shankaran S**, Bada HS, Bauer CR, Lin R, Das A, Higgins R. Prenatal cocaine exposure related to cortisol stress reactivity in 11-year-old children. *J Pediatr.* 2010;157:2:288-295.e1.PMID: 20400094
 147. Stoll BJ, Hansen NI, Bell EF, **Shankaran S**, Lupton AR, Walsh MC, Hale EC, Newman NS, Schibler K, Carlo WA, Kennedy KA, Poindexter BB, Finer NN, Ehrenkranz RA, Duara S, Sánchez PJ, O'Shea TM, Goldberg RN, Van Meurs KP, Faix RG, Phelps DL, Frantz ID 3rd, Watterberg KL, Saha S, Das A, Higgins RD; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Neonatal outcomes of extremely preterm infants from the NICHD Neonatal Research Network. *Pediatrics.* 2010;126:3:443-56. PMID: 20732945
 148. Whitaker TM, Bada HS, Bann CM, **Shankaran S**, Lagasse L, Lester BM, Bauer CR, Hammond J, Higgins R. Serial Pediatric Symptom Checklist Screening in Children With Prenatal Drug Exposure. *J Dev Behav Pediatr.* 2010. PMID: 21200328
 149. Ang JY, Lua JL, Asmar BI, **Shankaran S**, Heyne RJ, Schelonka RL, Das A, Li L, Jackson DM, Higgins RD, D'Angio CT; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Nasopharyngeal carriage of *Streptococcus*

- pneumoniae in very low-birth-weight infants after administration of heptavalent pneumococcal conjugate vaccine. *Arch Pediatr Adolesc Med.* 2010;164:1173-5. PMID: 21135351
150. Lagasse LL, Gaskins RB, Bada HS, **Shankaran S**, Liu J, Lester BM, Bauer CR, Higgins RD, Das A, Roberts M. Prenatal cocaine exposure and childhood obesity at nine years. *Neurotoxicol Teratol.* 2011;33:188-91. PMID: 21109003
 151. Boghossian NS, Hansen NI, Bell EF, Stoll BJ, Murray JC, Laptook AR, **Shankaran S**, Walsh MC, Das A, Higgins RD; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Survival and morbidity outcomes for very low birth weight infants with Down syndrome. *Pediatrics.* 2010;126:1132-40. PMID: 21098157
 152. Kwon JM, Guillet R, **Shankaran S**, Laptook AR, McDonald SA, Ehrenkranz RA, Tyson JE, O'Shea TM, Goldberg RN, Donovan EF, Fanaroff AA, Poole WK, Higgins RD, Walsh MC. Clinical Seizures in Neonatal Hypoxic-Ischemic Encephalopathy Have No Independent Impact on Neurodevelopmental Outcome: Secondary Analyses of Data From the Neonatal Research Network Hypothermia Trial. *J Child Neurol.* 2010. PMID: 20921569
 153. Benjamin DK Jr, Stoll BJ, Gantz MG, Walsh MC, Sánchez PJ, Das A, **Shankaran S**, Higgins RD, Auten KJ, Miller NA, Walsh TJ, Laptook AR, Carlo WA, Kennedy KA, Finer NN, Duara S, Schibler K, Chapman RL, Van Meurs KP, Frantz ID 3rd, Phelps DL, Poindexter BB, Bell EF, O'Shea TM, Watterberg KL, Goldberg RN; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Neonatal candidiasis: epidemiology, risk factors, and clinical judgment. *Pediatrics.* 2010;126:e865-73. PMID: 20876174
 154. Higgins RD, **Shankaran S**, Laptook AR. Hypoxic ischaemic encephalopathy in infants. *BMJ.* 2010;340:c397. PMID: 20144982
 155. Pappas A, **Shankaran S**, Laptook AR, Langer JC, Bara R, Ehrenkranz RA, Goldberg RN, Das A, Higgins RD, Tyson JE, Walsh MC; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Hypocarbica and Adverse Outcome in Neonatal Hypoxic-Ischemic Encephalopathy. *J Pediatr.* 2010;158(5):752-758. PMID: 21146184.
 156. **Shankaran S**, Das A, Bauer CR, Bada HS, Lester BM, Wright LL, Higgins RD, and Poole WK. Cocaine exposure and small for gestational age status at birth: Effects on growth at 6 years of age. *Neurotoxicol Teratol.* 2011;33(5):575-81. PMID: 21849244
 157. **Shankaran S**, Bann C, Das A, Lester b, Bada H, Bauer CR, La Gasse L, and Higgins RD. Risk for obesity in adolescence starts in early childhood. *J Perinatol.* 2011;31(11):711-6. PMID: 21415836
 158. **Shankaran S**, Laptook AR, McDonald SA, Higgins RD, Tyson JE, Ehrenkranz RA, Das A, Sant'Anna G, Goldberg RN, Bara R, Walsh MC, for the Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Temperature profile and outcomes of neonates undergoing whole body hypothermia for neonatal hypoxic-ischemic encephalopathy. *Pediatr Crit Care Med.* 2011 Apr 14. PMID: 21499182 (In Press)
 159. Schmidt B, Seshia M, **Shankaran S**, Mildenhall L, Tyson J, Lui K, Fok T, Roberts R; for the Trial of Indomethacin Prophylaxis in Preterms Investigators. Do the effects of prophylactic indomethacin vary in extremely low birth weight infants with and without adequate exposure to antenatal steroids. *Arch Pediatr Adolesc Med.* 2011;165(7):642-6. PMID: 21727276

160. Sant'anna G, Lptook AR, **Shankaran S**, Bara R, McDonald SA, Higgins RD, Tyson JE, Ehrenkranz RA, Das A, Goldberg RN, Walsh MC. Phenobarbital and Temperature Profile During Hypothermia for Hypoxic-Ischemic Encephalopathy. *J Child Neurol*. 2011. PMID: 21960671 (In Press)
161. **Shankaran S**, Pappas A, McDonald SA, Lptook AR, Bara R, Ehrenkranz RA, Tyson JE, Goldberg R, Donovan EF, Fanaroff AA, Das A, Poole WK, Walsh M, Higgins RD, Welsh C, Salhab W, Carlo WA, Poindexter B, Stoll BJ, Guillet R, Finer NN, Stevenson DK, Bauer CR; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Predictive value of an early amplitude integrated electroencephalogram and neurologic examination. *Pediatrics*. 2011;128(1):e112-20. PMID: 21669899
162. **Shankaran S**, Lptook AR, Tyson JE, Ehrenkranz RA, Bann CM, Das A, Higgins RD, Bara R, Pappas A, McDonald SA, Goldberg RN, Walsh MC; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Evolution of Encephalopathy during Whole Body Hypothermia for Neonatal Hypoxic-Ischemic Encephalopathy. *J Pediatr*. 2011 Nov 1. PMID: 22050871 (In Press)
163. Bauer CR, Lambert BL, Bann CM, Lester BM, **Shankaran S**, Bada HS, Whitaker TM, Lagasse LL, Hammond J, Higgins RD. Long-term impact of maternal substance use during pregnancy and extrauterine environmental adversity: stress hormone levels of preadolescent children. *Pediatr Res*. 2011;70(2):213-9. PMID: 21546861
164. Higgins RD, Raju T, Edwards AD, Azzopardi DV, Bose CL, Clark RH, Ferriero DM, Guillet R, Gunn AJ, Hagberg H, Hirtz D, Inder TE, Jacobs SE, Jenkins D, Juul S, Lptook AR, Lucey JF, Maze M, Palmer C, Papile L, Pfister RH, Robertson NJ, Rutherford M, **Shankaran S**, Silverstein FS, Soll RF, Thoresen M, Walsh WF; Eunice Kennedy Shriver National Institute of Child Health and Human Development Hypothermia Workshop Speakers and Moderators. Hypothermia and other treatment options for neonatal encephalopathy: an executive summary of the Eunice Kennedy Shriver NICHD workshop. *J Pediatr*. 2011;159(5):851-858.e1. PMID: 21875719
165. Laughon MM, Langer JC, Bose CL, Smith PB, Ambalavanan N, Kennedy KA, Stoll BJ, Buchter S, Lptook AR, Ehrenkranz RA, Cotten CM, Wilson-Costello DE, **Shankaran S**, Van Meurs KP, Davis AS, Gantz MG, Finer NN, Yoder BA, Faix RG, Carlo WA, Schibler KR, Newman NS, Rich W, Das A, Higgins RD, Walsh MC; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Prediction of bronchopulmonary dysplasia by postnatal age in extremely premature infants. *Am J Respir Crit Care Med*. 2011;183(12):1715-22. PMID: 21471086
166. Stoll BJ, Hansen NI, Sánchez PJ, Faix RG, Poindexter BB, Van Meurs KP, Bizzarro MJ, Goldberg RN, Frantz ID 3rd, Hale EC, **Shankaran S**, Kennedy K, Carlo WA, Watterberg KL, Bell EF, Walsh MC, Schibler K, Lptook AR, Shane AL, Schrag SJ, Das A, Higgins RD; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Early onset neonatal sepsis: the burden of group B Streptococcal and E. coli disease continues. *Pediatrics*. 2011;127(5):817-26. PMID: 21518717
167. Fisher PA, Lester BM, DeGarmo DS, Lagasse LL, Lin H, **Shankaran S**, Bada HS, Bauer CR, Hammond J, Whitaker T, Higgins R. The combined effects of prenatal drug exposure and early adversity on neurobehavioral disinhibition in childhood and adolescence. *Dev Psychopathol*. 2011;23(3):777-88. PMID: 21756431
168. Carlo WA, McDonald SA, Tyson JE, Stoll BJ, Ehrenkranz RA, **Shankaran S**, Goldberg RN, Das A, Schendel D, Thorsen P, Skogstrand K, Hougaard DM, Oh W, Lptook AR, Duara S, Fanaroff AA,

- Donovan EF, Korones SB, Stevenson DK, Papile LA, Finer NN, O'Shea TM, Poindexter BB, Wright LL, Ambalavanan N, Higgins RD; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Cytokines and neurodevelopmental outcomes in extremely low birth weight infants. *J Pediatr*. 2011;159(6):919-925.e3. PMID: 21798559
169. Wadhawan R, Oh W, Vohr BR, Wrage L, Das A, Bell EF, Lupton AR, **Shankaran S**, Stoll BJ, Walsh MC, Higgins RD; Eunice Kennedy Shriver National Institute of Child Health & Human Development Neonatal Research Network. Neurodevelopmental outcomes of triplets or higher-order extremely low birth weight infants. *Pediatrics*. 2011;127(3):e654-60. PMID: 2135733
170. Carlo WA, McDonald SA, Fanaroff AA, Vohr BR, Stoll BJ, Ehrenkranz RA, Andrews WW, Wallace D, Das A, Bell EF, Walsh MC, Lupton AR, **Shankaran S**, Poindexter BB, Hale EC, Newman NS, Davis AS, Schibler K, Kennedy KA, Sánchez PJ, Van Meurs KP, Goldberg RN, Watterberg KL, Faix RG, Frantz ID 3rd, Higgins RD; Eunice Kennedy Shriver National Institute of Child Health and Human Development Neonatal Research Network. Association of antenatal corticosteroids with mortality and neurodevelopmental outcomes among infants born at 22 to 25 weeks' gestation. *JAMA*. 2011;306(21):2348-58. PMID: 22147379
171. Cole CR, Hansen NI, Higgins RD, Bell EF, **Shankaran S**, Lupton AR, Walsh MC, Hale EC, Newman NS, Das A, Stoll BJ; Eunice Kennedy Shriver National Institute of Child Health and Human Development's Neonatal Research Network. Bloodstream infections in very low birth weight infants with intestinal failure. *J Pediatr*. 2012;160(1):54-9.e2. PMID: 21840538
172. Bigsby R, LaGasse L, Lester B, **Shankaran S**, Bada H, Bauer C, Lin J. Prenatal drug exposure and motor development at 4 months. *American Journal of Occupational Therapy*. 2011 (In Press)